




# ATRUE PIECE OF NATURE



# CRAFTED PARQUET FLOORING FROM ROTT AM INN

Here at HAIN, we believe in combining modern technology, our many years of experience and high-quality design. The technology creates the conditions – our know-how brings the quality. In our factory in the Bavarian town of Rott am Inn, modern production facilities meet experienced and trained employees. The result: high-quality cra ed parquet flooring that brings a touch of nature into your home.


Our self-developed, gentle process brings the best out of the naturally grown wood in our planks and parquet variants. Our pioneering role can be seen, for example, in our special surface structures and our many oxygen-hardened oiled surfaces. However, our natural wood drying process, which gives the planks the time they need to mature, also speaks for the innovative strength of our traditional company. As a company that acts responsibly and has deep roots in our region, we feel equally committed to our customers, our employees and our environment. This is why the raw material wood that we process comes exclusively from sustainably cultivated forests. This way, we produce tough and exclusive cra ed natural floors with lasting quality.





### PRODUCT ADVANTAGES

The high-quality, triple-layered construction with vertical growth rings guarantees the high dimensional stability and durability of the planks. The wear layer, which is up to 4 mm thick, is connected to the spruce substructure using a special press. Di erent installation heights are available (12 mm, 15 mm and 17 mm) – planks with a thickness of 12 mm are firmly bonded and are ideal for renovations and commercial areas. Thanks to the stable tongue and groove connection, planks with a thickness of 15 mm or more can either be bonded permanently in place or laid in a floating installation, if necessary. The surface can be sanded down multiple times.












Exception: Smoked oak



Exception: Castello and smoked oak



Warranty according to HAIN warranty conditions



### SPECIAL OILED SURFACE

The natural oil finish perfects every single plank and gives HAIN flooring its distinctive character. Before oiling, the wood is gently heated, opening up the pores so that the oil is more e ectively absorbed. HAIN's natural oil (free from coatings or waxy substances) is

applied lightly and evenly to the wood. The planks are then placed in special drying racks and given plenty of time for the oil to absorb and air dry. Meanwhile, the wood retains its natural beauty and breathability.

Made in Germany

# CRAFTSMANSHIP MEETS MODERNITY

Oiled natural flooring has an irresistible quality: They become more elegant and beautiful from year to year – a big plus for sustainability! But it's not only the look that counts: The technical features of HAIN natural flooring are also compelling.



### NATURALLY DRIED WOOD

A special process of natural wood drying brings out the qualities of the wood to their best advantage.



**DURABLE** 

Thanks to our complex and gentle finishing processes, the floors are long-lasting and durable – in almost all areas of application.




### HIGH QUALITY NATURAL OIL

Each HAIN plank is oiled and oxidatively dried several times – this makes the floor particularly stable and accentuates the natural look of the wood.



Wood surface "Raw"



Film-forming surface "Paints/Waxes"



HAIN natural surface "Oiled"




# PROVIDES HEALTHY AIR IN YOUR HOME


The naturally finished wood automatically compensates for fluctuations in temperature and humidity, thus having a positive e ect on the room climate.



**EASY TO MAINTAIN** 


Care soap and special balm specially adapted to the floor ensure easy maintenance.






# **PRODUCT RANGE OVERVIEW**

# **COLLECTIONS/FORMATS**



# **OAK**



GRADINGS	CASTELLO	VIALE	<b>AMBIENTE</b>	PRIMUS	FINO
Perfect	-	•	•	•	•
Classic	•	•	•	•	•
Brown Vario	•	•	•	•	-
Black Vario	•	•	•	•	-
Brown Lava	-	•	•	•	-
Black Lava	-	•	•	•	-
STRUCTURES					
Sanded smooth	• XL	• MO	• MO	• MO	-
Brushed	• XL	• MO	• MO	• MO	• MM
Rough grain	-	• XX	• XX	• XX	-
Planed	-	• MO	• MO	• MO	-
Used	-	• XX	• XX	• XX	-
Saw-cut	-	• MO	• MO	• MO	-

# **LARCH**



000 Raw




134 Extra-white oiled







**COLOURS** 



GRADINGS	CASTELLO	VIALE	AMBIENTE	PRIMUS	FINO
Brown Vario	•	•	•	•	-
STRUCTURES					
Sanded smooth	• XL	• MO	• MO	• MO	-

# **WALNUT**

### **COLOURS**

Brushed



490 Raw look oiled 000 Raw







999	Custom*

GRADINGS	CASTELLO	VIALE	AMBIENTE	PRIMUS	FINO
Perfect	-	-	•	•	-
Classic			•	•	

### **STRUCTURES**

0111001011110					
Sanded smooth	-	-	• MO	• MO	-
Brushed	-	-	• MO	• MO	-

Bevel type:

00 = sharp-edged

XO = thick bevel on the long side

XX = all-round sharp bevel

MO = micro-bevel on the long side

MM = all-round micro-bevel

XL = sharp bevel on the long side / slight bevel at the end

# **ASH**



GRADINGS	CASTELLO	VIALE	AMBIENTE	PRIMUS	FINO
Classic	-	-	•	•	-
STRUCTURES					
Sanded smooth	-	-	• MO	• MO	-
Brushed	-	-	• MO	• MO	-

# **SWISS PINE**





GRADINGS	CASTELLO	VIALE	AMBIENTE	PRIMUS	FINO
Brown Vario	_	-	•	•	-

### **STRUCTURES**

Sanded smooth	-	-	• MO	• MO	-
Brushed	-	-	• MO	• MO	-

<sup>\*</sup>Subject to technical revision

# **WOODS**



# 0ak

Brinell hardness: 34 N/mm²

Most popular parquet wood Low swelling and shrinking behaviour High indentation resistance Wide variety of colours available





### Larch

Brinell hardness: 19 N/mm²

Slightly so er than so wood Creates a pleasant atmosphere Exceptional grain Distinctive variety of hues





### **Ash**

Brinell hardness: 38 N/mm²

Exclusively in Europe Conventional hardwood Low swelling and shrinking behaviour High indentation resistance Lighter colouring





# Walnut

Brinell hardness: 26 N/mm²

American fine wood Natural dark colouring Exceptional grain





Brinell hardness: 15 N/mm²

Local wood from the High Alps Light, pleasant-feeling so wood Characteristic aromatic scent Distinctive variety of hues





### **PERFECT**

- ◆ Calm appearance
- Mild variations in colour and structure
- Only a few small, intergrown knots
- Wood filling possible for levelling of knots
- Ingrowths and sapwood are possible in walnut wood

# **CLASSIC**

- Lively appearance
- Moderate variations in colour and structure
- Larger amount of intergrown knots up to 40 mm in size
- Filled knots up to a diameter of 40 mm are possible
- Ingrowths and sapwood are possible in walnut wood




# BROWN VARIO / BLACK VARIO\*

- ◆ Very lively appearance
- Marked variations in colour and structure
- Featuring large knots, heartwood and strong colour variations
- ◆ Larger filling of knots and cracks
- With larch wood, marked colour variations between individual planks

# BROWN LAVA / BLACK LAVA\*

- ◆ Very rustic appearance
- Marked variations in colour and structure
- Featuring large knots, open cracks, heartwood and strong colour variations
- Larger filling of knots and cracks

\*describes the respective filler colour



# **STRUCTURES**

Another way of varying the appearance of wood is with di erent surface structures. As craft experts with decades of experience, we apply our whole body of knowledge to refine our wood material with detailed surface finishes.







**BRUSHED**When brushing the planks, the so er elements of the wood are removed, bringing the natural grain to the fore.

### **ROUGH GRAIN**

The planks are planed along the grain. The resulting structure is intentionally irregular.



### **PLANED**

Like the rough-grain structure, this too is planed. However, its appearance is very regular.







### USED

The used structure imitates the appearance of old wood – evenly worn over many years and with a distinctive vintage character.

### SAW-CUT

To create this structure, heavy cuts are made in the surface with a saw. This creates an intentionally raw and rustic look.

# **BEVEL VARIANTS**



### SHARP-EDGED

Sharp-edged means there is no bevel. The planks fit together "seamlessly", creating an extremely homogeneous surface.



### ALL-ROUND MICRO-BEVEL

An all-round micro-bevel subtly outlines every single plank.



### ALL-ROUND SHARP BEVEL

Unlike the all-round micro-bevel, the all-round sharp bevel starkly outlines every single plank.



### MICRO-BEVEL ON THE LONG SIDE

A small micro-bevel on the long side gives the planks an endless appearance.



### SHARP BEVEL ON THE LONG SIDE

A sharp bevel on the long side accentuates the endless appearance even more.



# SHARP BEVEL ON THE LONG SIDE / SLIGHT BEVEL AT THE END

A sharp bevel on the long side combined with a slight bevel at the end accentuates the length of the planks, while setting a clear boundary between them.



# **CASTELLO**

Just as the name implies: CASTELLO encompasses all the château plank formats in the HAIN product range. With their impressive 4 200 and 3 650 mm lengths, CASTELLO planks show true greatness and bring out the natural quality of wood in a particu-

larly authentic and expressive way – with the special HAIN oiled surface, like all HAIN floors. The three di erent widths ensure a balanced and yet exciting installation design.







CASTELLO/Black Vario oak/040 Colourless oiled/brushed

# **VIALE**

With a length of 2 200 mm, our VIALE floors are the alternative to the CASTELLO château planks. The special width (245 mm) makes VIALE the

perfect choice for all those who want an exceptional flooring with that certain something.








# **AMBIENTE**

The classic planks are the evergreen of floor design, and with their format of 2 200 x 195 mm they're both impressive and easy to handle.

AMBIENTE planks also feature an elegant HAIN


oiled surface, which is applied several times and allowed to air dry in ample peace and quiet – true cra smanship!












AMBIENTE/Brown Lava oak/301 Greige oiled/used



# **PRIMUS**


A classic plank – the narrowest in the HAIN product range, with a width of 160 mm. However, when it comes to woods, gradings and structures,

it o ers just as much variety as its AMBIENTE and VIALE counterparts.










# **FINO**


Herringbone is a classic laying pattern with a long history – and remains a popular trend. It's not hard to see why, as it strikes the perfect balance between elegant and modern. With herringbone parquet, you bring a varied flooring into your home. Choose between classic herringbone (FINO 90)

and French herringbone (FINO 55). With the French herringbone FINO 55, the individual parquet planks are bevelled by 55°, thus forming a straight line when laid. This creates a slightly di erent look than the rectangular FINO 90 planks, which are laid in an interlocked pattern.









# **CLEANING AND CARE**

### **SPECIAL SOAP**

#### FLOOR CARE BALM



For day-to-day cleaning and care of oiled wood surfaces indoors



Ideal care product for refreshment of oiled wood surfaces indoors

#### FLOOR CARE SET



consisting of special soap, floor care balm, cloth, cleaning pad, sponge, shoe covers, spray bottle, natural oil solvent for cleaning of tools

# **SKIRTINGS**

	Skirting type	Wood	Grading	Length	Height	Thickness
				mm	mm	mm
	CUBE					
R	Exclusive skirting	Oak	To match parquet	2 180 or variable lengths	60	15
	Solid skirting	Oak	Knotty	2 350	60	16
4.5	Solid skirting	Oak	Knotty	2 350	40	16
	Veneer skirting with clip	Oak	Low knot	2 380	60	16
	skirting clip	Metal	-	for 20 linear metres	-	-
(m)	VARIANT					
	Exclusive skirting	Oak	To match parquet	2 180 or variable lengths	45	18

# EVERYTHING FROM A SINGLE SOURCE: HAIN STAIRCASES

Would you like stairs to match your parquet flooring? No problem with HAIN! We make individual steps in the same material as your HAIN natural flooring – for an elegant and harmonious overall look! We o er L and U-shaped profiles.

# MEASURE STAIRCASES USING THE STAIRBOX® STAIR SYSTEM

- Time-saving
- Cost-saving
- Precise

#### What is stairbox®?

Stairbox® is an innovative electronic measurement system for staircase construction. With this system, even complex staircase measurements can be completed quickly and easily on site with maximum precision. During the measurement process, the measured steps are visualised in real time on the supplied computer software and saved as a digital template. This guarantees the utmost precision!

#### Our service for you:

- Precision measurement in just a few minutes
- Data transfer to the staircase software
- Clarification of all important details with the retailer and end customer
- Flat rate: €750, invoiced with order placement

## **STAIR PROFILES**

	Moulding type	Wood	Grading	Length	Height	Thickness
	woulding type			mm	mm	mm
-	STAIR EDGE	STEP +				
	Exclusive moulding	Oak	To match parquet	2180	Front 20 x 48 Top 110	15
400	Exclusive moulding	Oak	To match parquet	1080	Front 20 x 48 Top 110	15
-	STAIR EDGE	STEP				
1	Exclusive moulding	Oak	To match parquet	2180	Front 15 x 48 Top 140	15
	Exclusive moulding	Oak	To match parquet	1080	Front 15 x 48 Top 140	15







© 2023 by Hain Natur-Böden GmbH Colour and structures may di er due to printing conditions. We reserve the right to make changes. No responsibility is assumed for errors.

Hain Natur-Böden GmbH Am Eckfeld 4, 83543 Rott am Inn, Germany

Phone: +49 8039 404-0 Fax: +49 8039 404-169 www.hain.de/en/



968000200A01

03 | 23

