

## ACOUSTIC SENSE WOOD: WALL DESIGN WITH SOUND-INSULATING EFFECT!

A natural and functional design element for your home: characterful solid wood and high-quality felt form an attractive wall panel that also significantly improves the acoustics of the room. Especially in modern living spaces, where textiles like curtains or carpets are used sparingly, sound-insulating acoustic panels create a noticeably more pleasant atmosphere – including less noise and improved intelligibility of speech. The felt back wall in vegan felt absorbs up to 95% of sound from the room, depending on the installation type. Partial installation on the wall is enough for effective sound insulation.

The high-quality solid wood slats are glued onto the felt across the entire surface and are easy to clean, thanks to their matt lacquered finish. Deep brushing brings out the natural beauty and texture of the wood to their best advantage.



Room height length of 2600 mm



Practical width of 330 mm



Simple cleaning and care, thanks to matt lacquered finish



Simple installation: glue or screw



Solid wood stripes with micro-bevel at the side and matt lacquered surface





## Highest absorber class possible:

On wooden battens with 40 mm insulation: Absorber class A - 95% sound absorption On wooden battens: Absorber class C - 65% sound absorption Glued to the wall: Absorber class D - 30% sound absorption

## **Acoustic Sense WOOD acoustic panels**

- 8-mm felt base board	- Thickness: 13 mm
- Approx. 5-mm solid wood strips (width: 31 mm)	- Width: 330 mm
- Matt lacquered surface	- Length: 2 600 mm













Pure oak / brushed / matt lacquered

Natural oak / brushed / matt lacquered

Brown oak / brushed / matt lacquered

© 2023 by Hain Natur-Böden GmbH Colour and structures may differ due to print. We reserve the right to make changes. No responsibility is assumed for errors.

Hain Natur-Böden GmbH

Am Eckfeld 4 83543 Rott am Inn Tel: +49 8039 404-0 Fax: +49 8039 404-169 www.hain.de